

S-12
Stamm (3)
Copy!

mk

TOP SECRET "U"

TICOM I-44

MEMORANDUM ON SPEECH ENCIPHERMENT

APPARATUS BY ORR HUETTENHAIN AND

SDF. DR. FRICKE.

The attached memorandum on Speech Encipherment Apparatus was prepared jointly by ORR Huettenhain and Sdf. Dr. Fricke of OKW/Chi at the request of Ticom.

TICOM
1st Aug 1945

No. of Pages 1
Copy No. 28

Distribution

British

- 1. Director
- 2. D.D.3
- 3. D.D.4
- 4. D.D.(N.S.)
- 5. D.D.(MW)
- 6. D.D.(A.S.)
- 7-8 A.D.(C.C.R.)(2)
- 9. Col. Leathem

U.S.

- 25-26 OP20-G(2) (via Lt. Prändergrass
- 27 (via Lt. Col. Hilles)
- 28-29 S.S.A.(2) (via Major Seaman)
- 30. Director, S.I.D. ETOUSA (via Lt. Col. Johnson)

TICOM

- 10. Chairman
- 11-12 S.A.C.(2)
- 13. CDR. Bacon
- 14. Cdr. MacKenzie
- 15. Cdr. Tandy
- 16. Lt. Col. Johnson
- 17. Lt. Cdr. Manson
- 18. Major Seaman
- 19. Lt. Eachus
- 20. Lt. Vance
- 21. Capt. Cowan
- 22. Lt. Fehl
- 23-24 Ticom Files(2)

ADDITIONAL

- 31. Major Manson
- 32. Dori Turing
- 33. D.D.S.D.(Y) Admiralty
- 34. D.D.(Y) War Office
- 35. D.D.I.4. Air ministry

S-4544
Do Not Destroy. Return to the
NSA Library when no longer needed.
Copy No.

SPEECH ENCIPHERMENT APPARATUS

A) Historical development in Germany

Up to 1943 various authorities and firms in GERMANY on their own without necessary and real direction by the Reich concerned themselves with speech encipherment apparatus. In Summer 1943(?) all authorities and firms engaged on the development of speech encipherment were called together by Chef WNV. The aim of these discussions was to stop all developments which could not lead to success in a reasonable time and to promote the following developments:

1) A "Spracherschwerungsgerät". Operators ought not to be able to listen in on conversation and listening in ought only to be possible with technical means of the same order as the "Erschwerungsgeräte" itself.

2) Absolutely secure speech encipherment equipment. This ought to be absolutely unbreakable according to the present state of cryptography. The following firms and authorities met:

Meereswaffenamt Prüf. 7, BERLIN (only to direct, not development)
GAF Experimental Station (Versuchsanstalt) RECHLIN/MECKLENBURG
Reichspost-Zentralamt. Siemens and Halske, Telefunken, AEG, Lorenz. A.G.,
TKD (Telephon-Kabel-Draht), Laboratorium Feuerstein (Prof. Dr. Vierling)
Ebermannstadt.

These authorities presented their developments and further intentions. All basic procedures of speech encipherment and to some extent combinations of basic procedures:

Tigerstedt system (TDS)

Frequency and amplitude "Wobbeling"

Inverting (Invertierung)

Division into Frequency bands (Frequenzbandaufteilung)

Superposition of noise methods (Geräuschbeimischung and Geräuschüberlagerung)

Transposition of frequency channels (Kanalvertauschung)

According to the principle of artificial speech (Kennwertverfahren)

The result of these demonstrations and discussions was:

All authorities and firms with the exception of Laboratorium Feuerstein stopped their development work as the conditions demanded could not be fulfilled in reasonable time.

B. Latest state of development.

One model of the "Erschwerungsgerät Baustein" was completed by Prof. VIERLING at the beginning of 45. Further 30 models were to follow in the spring. The secure speech encipherment apparatus was still being developed. The circuit was to be ready in a few months. Chi was commissioned in Nov. 44 by Chef WNV to undertake the checking of these developments. Owing to the general war situation in recent months it was no longer possible to do this in such a way that technical details could be reliably reconstructed. Exhaustive information concerning this can only be provided by Prof. VIERLING himself and Dr.

~~VOCODEX~~

Note - Vierling followed up on a suggestion made by H. Dudley of Bell Labs (apparently from an article in a technical journal) which involved splitting up speech into individual characteristics which is then artificially reproduced in the receiver by controlling these characteristics. See complete Vierling write-up in TICOM/I-43. MR.

LIEBKNECHT (Wa Prüf 7). The following details therefore which are based on verbal information received from Dr. LIEBKNECHT must be treated with reserve:

1) Erschwerungsgerät Baustein

Size and weight that of the old inverter (pack-model)

It works without variable keys

Principle: Inverting(?) and "Geräuschbeimischung".

Further details are not known.

2) Speech encipherment apparatus.

The speech frequency band is divided into ten channels (according to the principle of artificial speech)

The speech elements in each of the ten channels "gewobbelt" according to a rotating principle. The control of the "Wobbelung" is carried out by the ten peg wheels of the SZ-20. Further details are not known.